



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2906

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT02

Batch#: MWML30LOT02

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/12/2026	Complete
Residual Solvents	06/15/2026	Complete
Microbials	06/10/2026	Complete
Mycotoxins	06/12/2026	Complete
Pesticides	06/13/2026	Complete
Heavy Metals	06/17/2026	Complete
Foreign Matter	06/10/2026	Not Detected

Cannabinoids

Complete

31.281 mg/unit

Total THC

0.0088%

Δ^9 -THC

ND

Total CBD

31.281 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8903	1.335	ND	ND	ND
9R-HHC	0.8903	1.335	ND	ND	ND
(6aR,9S)-d10-THC	0.8903	1.335	ND	ND	ND
9S-HHC	0.8903	1.335	ND	ND	ND
CBC	0.8903	1.335	ND	ND	ND
CBCa	0.8903	1.335	ND	ND	ND
CBD	0.8903	1.335	ND	ND	ND
CBDa	0.8903	1.335	ND	ND	ND
CBDV	0.8903	1.335	ND	ND	ND
CBDVa	0.8903	1.335	ND	ND	ND
CBG	0.8903	1.335	ND	ND	ND
CBGa	0.8903	1.335	ND	ND	ND
CBN	0.8903	1.335	ND	ND	ND
CBNa	0.8903	1.335	ND	ND	ND
Δ^8 -THC	0.8903	1.335	ND	ND	ND
Δ^9 -THC	0.8903	1.335	31.281	0.08837	0.009
THCa	0.8903	1.335	ND	ND	ND
THCp	0.8903	1.335	ND	ND	ND
THCV	0.8903	1.335	ND	ND	ND
THCVa	0.8903	1.335	ND	ND	ND
Total THC			31.281	0.08837	0.009
Total CBD			ND	ND	ND
Total			31.281	0.08837	0.009

Date Tested: 06/12/2026

Density: 1 mL = 1.006 g, Unit Mass: 356.124 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2906

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT02

Batch#: MWML30LOT02

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.098	0.028		ND	Tested	Fludioxonil	0.094	0.028		ND	Tested
Acephate	0.094	0.028		ND	Tested	Hexythiazox	0.094	0.028		ND	Tested
Acequinocyl	0.094	0.028		ND	Tested	Imazalil	0.094	0.028		ND	Tested
Acetamiprid	0.094	0.028		ND	Tested	Imidacloprid	0.094	0.028		ND	Tested
Aldicarb	0.094	0.028		ND	Tested	Kresoxim Methyl	0.094	0.028		ND	Tested
Azoxystrobin	0.094	0.028		ND	Tested	Malathion	0.094	0.028		ND	Tested
Bifenazate	0.094	0.028		ND	Tested	Metalaxyl	0.094	0.028		ND	Tested
Bifenthrin	0.094	0.028		ND	Tested	Methiocarb	0.094	0.028		ND	Tested
Boscalid	0.094	0.028		ND	Tested	Methomyl	0.094	0.028		ND	Tested
Captan	0.375	0.113		ND	Tested	Mevinphos	0.094	0.028		ND	Tested
Carbaryl	0.094	0.028		ND	Tested	Myclobutanil	0.094	0.028		ND	Tested
Carbofuran	0.094	0.028		ND	Tested	Naled	0.235	0.071		ND	Tested
Chlorantraniliprole	0.094	0.028		ND	Tested	Oxamyl	0.094	0.028		ND	Tested
Chlordane	0.015	0.005		ND	Tested	Paclobutrazol	0.094	0.028		ND	Tested
Chlorfenapyr	0.075	0.023		ND	Tested	Methyl Parathion	0.075	0.023		ND	Tested
Chlormequat	0.094	0.028		ND	Tested	Pentachloronitrobenzene	0.075	0.023		ND	Tested
Chlorpyrifos	0.094	0.028		ND	Tested	Permethrins	0.094	0.028		ND	Tested
Clofentezine	0.094	0.028		ND	Tested	Phosmet	0.094	0.028		ND	Tested
Coumaphos	0.094	0.028		ND	Tested	Piperonyl Butoxide	0.094	0.028		ND	Tested
Cyfluthrin	0.075	0.023		ND	Tested	Prallethrin	0.094	0.028		ND	Tested
Cypermethrin	0.075	0.023		ND	Tested	Propiconazole	0.094	0.028		ND	Tested
Daminozide	0.094	0.028		ND	Tested	Propoxur	0.094	0.028		ND	Tested
Diazinon	0.094	0.028		ND	Tested	Pyrethrins	0.469	0.141		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested	Pyridaben	0.094	0.028		ND	Tested
Dimethoate	0.094	0.028		ND	Tested	Spinetoram	0.094	0.028		ND	Tested
Dimethomorph	0.090	0.028		ND	Tested	Spinosad	0.096	0.028		ND	Tested
Ethoprophos	0.094	0.028		ND	Tested	Spiromesifen	0.094	0.028		ND	Tested
Etofenprox	0.094	0.028		ND	Tested	Spirotetramat	0.094	0.028		ND	Tested
Etoxazole	0.094	0.028		ND	Tested	Spiroxamine	0.094	0.028		ND	Tested
Fenhexamid	0.094	0.028		ND	Tested	Tebuconazole	0.094	0.028		ND	Tested
Fenoxycarb	0.094	0.028		ND	Tested	Thiacloprid	0.094	0.028		ND	Tested
Fenpyroximate	0.094	0.028		ND	Tested	Thiamethoxam	0.094	0.028		ND	Tested
Fipronil	0.094	0.028		ND	Tested	Trifloxystrobin	0.094	0.028		ND	Tested
Flonicamid	0.094	0.028		ND	Tested						

Date Tested: 06/13/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2906

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT02

Batch#: MWML30LOT02

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	8	ND	Tested
Enterobacteriaceae (BTGN)	8	ND	Tested
Coliforms	8	ND	Tested
Yeast & Mold	8	ND	Tested
E. Coli	8	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/10/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 06/12/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.240		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2906

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT02

Batch#: MWML30LOT02

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	56.818	189.394		ND	Tested
Benzene	0.227	0.758		ND	Tested
n-Butane	52.273	174.242		ND	Tested
Isobutane	52.273	174.242		ND	Tested
Ethanol	56.818	189.394		829.816	Tested
Ethyl Acetate	56.818	189.394		ND	Tested
Heptane	56.818	189.394		ND	Tested
n-Hexane	1.136	3.788		ND	Tested
2,2-Dimethylbutane	1.136	3.788		ND	Tested
3-Methylpentane	1.136	3.788		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.273	7.576		ND	Tested
Methanol	22.727	75.758		ND	Tested
Isopentane	52.273	174.242		ND	Tested
n-Pentane	22.727	75.758		ND	Tested
Neopentane	52.273	174.242		ND	Tested
2-Propanol	56.818	189.394		ND	Tested
Propane	227.273	757.576		ND	Tested
Toluene	0.114	0.379		ND	Tested
Ethylbenzene	0.114	0.379		ND	Tested
m/p-Xylene	0.114	0.379		ND	Tested
o-Xylene	0.114	0.379		ND	Tested
1,1-Dichloroethene	0.455	1.515		ND	Tested
1,2-Dichloroethane	0.455	1.515		ND	Tested
Ethylene Oxide	1.136	3.788		ND	Tested
Acetonitrile	4.545	15.152		ND	Tested
Chloroform	0.455	1.515		ND	Tested
Ethyl Ether	56.818	189.394		ND	Tested
Dichloromethane	22.727	75.758		ND	Tested
Trichloroethene	4.545	15.152		ND	Tested
2,3-Butanedione	22.727	75.758		ND	Tested

Date Tested: 06/15/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2905

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT01

Batch#: MWML30LOT01

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/12/2026	Complete
Residual Solvents	06/15/2026	Complete
Microbials	06/10/2026	Complete
Mycotoxins	06/12/2026	Complete
Pesticides	06/13/2026	Complete
Heavy Metals	06/17/2026	Complete
Foreign Matter	06/10/2026	Not Detected

Cannabinoids

Complete

31.536 mg/unit Total THC	0.0088% Δ^9 -THC	ND Total CBD	31.536 mg/unit Total Cannabinoids
------------------------------------	-----------------------------------	------------------------	---

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8947	1.342	ND	ND	ND
9R-HHC	0.8947	1.342	ND	ND	ND
(6aR,9S)-d10-THC	0.8947	1.342	ND	ND	ND
9S-HHC	0.8947	1.342	ND	ND	ND
CBC	0.8947	1.342	ND	ND	ND
CBCa	0.8947	1.342	ND	ND	ND
CBD	0.8947	1.342	ND	ND	ND
CBDa	0.8947	1.342	ND	ND	ND
CBDV	0.8947	1.342	ND	ND	ND
CBDVa	0.8947	1.342	ND	ND	ND
CBG	0.8947	1.342	ND	ND	ND
CBGa	0.8947	1.342	ND	ND	ND
CBN	0.8947	1.342	ND	ND	ND
CBNa	0.8947	1.342	ND	ND	ND
Δ^8 -THC	0.8947	1.342	ND	ND	ND
Δ^9 -THC	0.8947	1.342	31.536	0.08909	0.009
THCa	0.8947	1.342	ND	ND	ND
THCp	0.8947	1.342	ND	ND	ND
THCV	0.8947	1.342	ND	ND	ND
THCVa	0.8947	1.342	ND	ND	ND
Total THC			31.536	0.08909	0.009
Total CBD			ND	ND	ND
Total			31.536	0.08909	0.009

Date Tested: 06/12/2026

Density: 1 mL = 1.011 g, Unit Mass: 357.894 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2905

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT01

Batch#: MWML30LOT01

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.097	0.028		ND	Tested	Fludioxonil	0.093	0.028		ND	Tested
Acephate	0.093	0.028		ND	Tested	Hexythiazox	0.093	0.028		ND	Tested
Acequinocyl	0.093	0.028		ND	Tested	Imazalil	0.093	0.028		ND	Tested
Acetamiprid	0.093	0.028		ND	Tested	Imidacloprid	0.093	0.028		ND	Tested
Aldicarb	0.093	0.028		ND	Tested	Kresoxim Methyl	0.093	0.028		ND	Tested
Azoxystrobin	0.093	0.028		ND	Tested	Malathion	0.093	0.028		ND	Tested
Bifenazate	0.093	0.028		ND	Tested	Metalaxyl	0.093	0.028		ND	Tested
Bifenthrin	0.093	0.028		ND	Tested	Methiocarb	0.093	0.028		ND	Tested
Boscalid	0.093	0.028		ND	Tested	Methomyl	0.093	0.028		ND	Tested
Captan	0.372	0.112		ND	Tested	Mevinphos	0.093	0.028		ND	Tested
Carbaryl	0.093	0.028		ND	Tested	Myclobutanil	0.093	0.028		ND	Tested
Carbofuran	0.093	0.028		ND	Tested	Naled	0.232	0.071		ND	Tested
Chlorantraniliprole	0.093	0.028		ND	Tested	Oxamyl	0.093	0.028		ND	Tested
Chlordane	0.015	0.004		ND	Tested	Paclobutrazol	0.093	0.028		ND	Tested
Chlorfenapyr	0.074	0.022		ND	Tested	Methyl Parathion	0.074	0.022		ND	Tested
Chlormequat	0.093	0.028		ND	Tested	Pentachloronitrobenzene	0.074	0.022		ND	Tested
Chlorpyrifos	0.093	0.028		ND	Tested	Permethrins	0.093	0.028		ND	Tested
Clofentezine	0.093	0.028		ND	Tested	Phosmet	0.093	0.028		ND	Tested
Coumaphos	0.093	0.028		ND	Tested	Piperonyl Butoxide	0.093	0.028		ND	Tested
Cyfluthrin	0.074	0.022		ND	Tested	Prallethrin	0.093	0.028		ND	Tested
Cypermethrin	0.074	0.022		ND	Tested	Propiconazole	0.093	0.028		ND	Tested
Daminozide	0.093	0.028		ND	Tested	Propoxur	0.093	0.028		ND	Tested
Diazinon	0.093	0.028		ND	Tested	Pyrethrins	0.465	0.139		ND	Tested
Dichlorvos	0.046	0.015		ND	Tested	Pyridaben	0.093	0.028		ND	Tested
Dimethoate	0.093	0.028		ND	Tested	Spinetoram	0.093	0.028		ND	Tested
Dimethomorph	0.089	0.028		ND	Tested	Spinosad	0.095	0.028		ND	Tested
Ethoprophos	0.093	0.028		ND	Tested	Spiromesifen	0.093	0.028		ND	Tested
Etofenprox	0.093	0.028		ND	Tested	Spirotetramat	0.093	0.028		ND	Tested
Etoxazole	0.093	0.028		ND	Tested	Spiroxamine	0.093	0.028		ND	Tested
Fenhexamid	0.093	0.028		ND	Tested	Tebuconazole	0.093	0.028		ND	Tested
Fenoxycarb	0.093	0.028		ND	Tested	Thiacloprid	0.093	0.028		ND	Tested
Fenpyroximate	0.093	0.028		ND	Tested	Thiamethoxam	0.093	0.028		ND	Tested
Fipronil	0.093	0.028		ND	Tested	Trifloxystrobin	0.093	0.028		ND	Tested
Flonicamid	0.093	0.028		ND	Tested						

Date Tested: 06/13/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2905

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT01

Batch#: MWML30LOT01

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	8	ND	Tested
Enterobacteriaceae (BTGN)	8	ND	Tested
Coliforms	8	ND	Tested
Yeast & Mold	8	ND	Tested
E. Coli	8	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/10/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 06/12/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.098		ND	Tested
Cadmium	0.049	0.098		ND	Tested
Lead	0.049	0.098		ND	Tested
Mercury	0.049	0.098		ND	Tested
Palladium	0.049	0.246		ND	Tested
Selenium	0.049	0.098		ND	Tested

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Mango Lemonade 30mg

Sample ID: 2606NBL1041.2905

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWML30LOT01

Batch#: MWML30LOT01

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	58.594	195.313		ND	Tested
Benzene	0.234	0.781		ND	Tested
n-Butane	53.906	179.688		ND	Tested
Isobutane	53.906	179.688		ND	Tested
Ethanol	58.594	195.313		741.642	Tested
Ethyl Acetate	58.594	195.313		ND	Tested
Heptane	58.594	195.313		ND	Tested
n-Hexane	1.172	3.906		ND	Tested
2,2-Dimethylbutane	1.172	3.906		ND	Tested
3-Methylpentane	1.172	3.906		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.344	7.813		ND	Tested
Methanol	23.438	78.125		ND	Tested
Isopentane	53.906	179.688		ND	Tested
n-Pentane	23.438	78.125		ND	Tested
Neopentane	53.906	179.688		ND	Tested
2-Propanol	58.594	195.313		ND	Tested
Propane	234.375	781.250		ND	Tested
Toluene	0.117	0.391		ND	Tested
Ethylbenzene	0.117	0.391		ND	Tested
m/p-Xylene	0.117	0.391		ND	Tested
o-Xylene	0.117	0.391		ND	Tested
1,1-Dichloroethene	0.469	1.563		ND	Tested
1,2-Dichloroethane	0.469	1.563		ND	Tested
Ethylene Oxide	1.172	3.906		ND	Tested
Acetonitrile	4.688	15.625		ND	Tested
Chloroform	0.469	1.563		ND	Tested
Ethyl Ether	58.594	195.313		ND	Tested
Dichloromethane	23.438	78.125		ND	Tested
Trichloroethene	4.688	15.625		ND	Tested
2,3-Butanedione	23.438	78.125		ND	Tested

Date Tested: 06/15/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.